Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S85	5	extended with subset with channels	USPAT	OR	ON	2005/09/29 16:28
S86	90	subset adj ports	USPAT	OR	ON	2005/09/29 16:28
S98	75	370/437.ccls. and bus	USPAT	OR	ON	2005/09/29 16:54
S100	13	370/536.ccls. and (reallocate or allocate or redistribute or distribute) with (channel or port)	USPAT	OR	ON	2005/09/29 16:55
S103	7	configuration adj register with data adj source	USPAT	OR	ON	2005/09/30 14:57
S105	258	arbitration adj controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:47
S110	48	((max or maximum) adj bit adj rate) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 17:12
S113	48	((max or maximum) adj bit adj rate) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 11:34
S114	47	((max or maximum) adj bit adj rate) with (stores or storing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 11:54
S118	8	((max or maximum) adj bit adj rate) with data adj source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/01 11:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S130	10	redistribut$3 with available near3 (channel)	USPAT	OR	ON	2005/10/05 15:06
S131	1	redistribut$3 with available near3 (bus)	USPAT	OR	ON	2005/10/05 15:08
S132	1	redistribut$3 with available near3 (line)	USPAT	OR	ON	2005/10/05 14:40
S133	3	redistribut$3 with available near3 (port)	USPAT	OR	ON	2005/10/05 15:09
S134	7	reallocat$4 with available near3 (port)	USPAT	OR	ON	2005/10/05 15:10
S135	46	reallocat$4 with available near3 (channel)	USPAT	OR	ON	2005/10/05 15:11
S136	0	reallocat$4 near data with available near3 (channel)	USPAT	OR	ON	2005/10/05 15:13
S137	9	reallocat$4 with available near3 (bus)	USPAT	OR	ON	2005/10/05 15:14
S138	2	reallocat$4 with available near3 (line)	USPAT	OR	ON	2005/10/05 15:14
S140	9	710/107.ccls. and reallocat$4	USPAT	OR	ON	2005/10/05 15:15
S141	6	710/107.ccls. and redistribut$4	USPAT	OR	ON	2005/10/05 15:16
S142	19	redistribut$3 with available near3 (channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:06
S143	2	redistribut$3 with available near3 (bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:08
S144	6	redistribut$3 with available near3 (port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:09
S145	10	reallocat$4 with available near3 (port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:10

S14 6	30	reallocat$4 with available near3 (channel)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:11
S14 7	1	reallocat$4 near data with available near3 (channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:13
S14 8	9	reallocat$4 with available near3 (bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:14
S14 9	2	reallocat$4 with available near3 (line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:14
S15 1	10	710/107.ccls. and reallocat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:15
S15 2	6	710/107.ccls. and redistribut$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 15:16

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	436	(allocat$3 or distribut$3 or utiliz$5) with (bandwidth or channel$1 or port$1) near5 (becom$3 and available)	US-PGPUB; USPAT	OR	OFF	2005/10/06 08:45
L2	9	(allocat$3 or distribut$3 or utiliz$5) with (bandwidth or channel$1 or port$1) near5 ((becom$3 and available) and (during near2 transmi$5))	US-PGPUB; USPAT	OR	OFF	2005/10/06 08:51
L3	18	(allocat$3 or distribut$3 or utiliz$5) with (bandwidth or channel$1 or port$1) near8 ((becom$3 and available) and (during near2 transmi$5))	US-PGPUB; USPAT	OR	OFF	2005/10/06 08:51
L4	9	3 not 2	US-PGPUB; USPAT	OR	OFF	2005/10/06 08:51